



069 Tissue Adhesive Tape

Technical Details

Property	Typical Value	Unit
Adhesive thickness	0.095	mm
Tolerance on thickness ($\pm 10\%$)	0.085 – 0.105	mm
Release liner type	White polyethylene-coated kraft	
Release liner thickness	0.115	mm
180° Peel adhesion – Open side	700	N/m
180° Peel adhesion – Liner side	700	N/m
Polyester loop tack – Open side	1000	N/m
Polyester loop tack – Liner side	1000	N/m
Liner release	10	N/m
Tensile strength	1000	N/m
Elongation at break	4	%
Shear adhesion (1 kg @ 23°C)	>80	Hours
Temperature exposure (short term)	200 (< 1 min)	°C
Service temperature	-40 to +140	°C
Recommended application temperature	+5 to +25	°C

All information and recommendations about products are based on our existing knowledge and experience but do not mean a guarantee or warranty. As the products are used for different applications we recommend checking suitability of product prior to use. All information is subject to change without notice. End user is obliged to verify the above information before using the material.